


LEDES®

Solar Conduits and Fittings Series





Ideas of new design Solar
conduit systems that protect
people and their property



HD SOLAR CORRUGATED CONDUIT GREY

Comply with AS/NZS 2053

Heavy duty grey

Flame retardant


Resistance to UV

Resistance to compression

ITEM NO	DESCRIPTION	UNIT	QTY
HH-HDSLCCG2050	HD SOLAR CORRUGATED CONDUIT GREY 20MM X 50M	ROLL	1
HH-HDSLCCG2550	HD SOLAR CORRUGATED CONDUIT GREY 25MM X 50M	ROLL	1
HH-HDSLCCG3225	HD SOLAR CORRUGATED CONDUIT GREY 32MM X 25M	ROLL	1
HH-HDSLCCG4025	HD SOLAR CORRUGATED CONDUIT GREY 40MMX 25M	ROLL	1
HH-HDSLCCG5025	HD SOLAR CORRUGATED CONDUIT GREY 50MMX 25M	ROLL	1

HD SOLAR CORRUGATED CONDUIT BLACK

Comply with AS/NZS 2053
 Heavy duty black
 Flame retardant
 Resistance to UV
 Resistance to compression



ITEM NO	DESCRIPTION	UNIT	QTY
HH-HDSLCCB2050	HD SOLAR CORRUGATED CONDUIT BLACK 20MM X 50M	ROLL	1
HH-HDSLCCB2550	HD SOLAR CORRUGATED CONDUIT BLACK 25MM X 50M	ROLL	1
HH-HDSLCCB3225	HD SOLAR CORRUGATED CONDUIT BLACK 32MM X 25M	ROLL	1
HH-HDSLCCB4025	HD SOLAR CORRUGATED CONDUIT BLACK 40MMX 25M	ROLL	1
HH-HDSLCCB5025	HD SOLAR CORRUGATED CONDUIT BLACK 50MMX 25M	ROLL	1



HD SOLAR RIGID CONDUIT GREY

Comply with AS/NZS 2053


Heavy duty grey

Flame retardant

Resistance to UV

Resistance to compression

ITEM NO	DESCRIPTION	L(m)	UNIT	QTY
HH-HDSLRCG20	HD SOLAR RIGID CONDUIT GREY 20MM	4	bundle	15
HH-HDSLRCG25	HD SOLAR RIGID CONDUIT GREY 25MM	4	bundle	10
HH-HDSLRCG32	HD SOLAR RIGID CONDUIT GREY 25MM	4	bundle	10
HH-HDSLRCG40	HD SOLAR RIGID CONDUIT GREY 32MM	4	bundle	5
HH-HDSLRCG50	HD SOLAR RIGID CONDUIT GREY 40MM	4	bundle	5
HH-HDSLRCG63	HD SOLAR RIGID CONDUIT GREY 50MM	4	bundle	5
HH-HDSLRCG80	HD SOLAR RIGID CONDUIT GREY 63MM	4	bundle	1
HH-HDSLRCG100	HD SOLAR RIGID CONDUIT GREY 80MM	4	bundle	1
HH-HDSLRCG125	HD SOLAR RIGID CONDUIT GREY 100MM	4	bundle	1
HH-HDSLRCG150	HD SOLAR RIGID CONDUIT GREY 150MM	4	bundle	1





ADAPTABLE BOX

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 with stainless steel screws and waterproof ring
 IP67
 Suitable for solar installation

ITEM NO	SIZE	INNER PACKING		OUTER PACKING	
	L.W.H	UNIT	QTY	UNIT	QTY
HH-AB8562	85x85x62mm	PAK	1	CTN	96
HH-AB10850	108x108x50mm	PAK	1	CTN	63
HH-AB10876	108x108x76mm	PAK	1	CTN	45
HH-AB16381	163x108x81mm	PAK	1	CTN	42
HH-AB21181	211x108x81mm	PAK	1	CTN	18
HH-AB300152	300x200x152mm	PAK	1	CTN	4
HH-AB300200	300x200x200mm	PAK	1	CTN	4

SHALLOW JUNCTION BOX GREY

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 with stainless steel screws
 suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-SJB20-1	SHALLOW JUNCTION BOX GREY 1 WAY 20MM	BOX	10	CTN	160
HH-SJB20-2	SHALLOW JUNCTION BOX GREY 2 WAY 20MM	BOX	10	CTN	130
HH-SJB20-2R	SHALLOW JUNCTION BOX GREY 2 WAY ANGLE 20MM	BOX	10	CTN	130
HH-SJB20-3	SHALLOW JUNCTION BOX GREY 3 WAY 20MM	BOX	10	CTN	100
HH-SJB20-4	SHALLOW JUNCTION BOX GREY 4 WAY 20MM	BOX	10	CTN	90
HH-SJB25-1	SHALLOW JUNCTION BOX GREY 1 WAY 25MM	BOX	10	CTN	150
HH-SJB25-2	SHALLOW JUNCTION BOX GREY 2 WAY 25MM	BOX	10	CTN	120
HH-SJB25-2R	SHALLOW JUNCTION BOX GREY 2 WAY ANGLE 25MM	BOX	10	CTN	120
HH-SJB25-3	SHALLOW JUNCTION BOX GREY 3 WAY 25MM	BOX	10	CTN	100
HH-SJB25-4	SHALLOW JUNCTION BOX GREY 4 WAY 25MM	BOX	10	CTN	90



DEEP JUNCTION BOX GREY

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 with stainless steel screws
 suitable for solar installation

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-DJB20-1	DEEP JUNCTION BOX GREY 1 WAY 20MM	BOX	10	CTN	100
HH-DJB20-2	DEEP JUNCTION BOX GREY 2 WAY 20MM	BOX	10	CTN	80
HH-DJB20-2R	DEEP JUNCTION BOX GREY 2 WAY ANGLE 20MM	BOX	10	CTN	80
HH-DJB20-3	DEEP JUNCTION BOX GREY 3 WAY 20MM	BOX	10	CTN	80
HH-DJB20-4	DEEP JUNCTION BOX GREY 4 WAY 20MM	BOX	10	CTN	60
HH-DJB25-1	DEEP JUNCTION BOX GREY 1 WAY 25MM	BOX	10	CTN	90
HH-DJB25-2	DEEP JUNCTION BOX GREY 2 WAY 25MM	BOX	10	CTN	80
HH-DJB25-2R	DEEP JUNCTION BOX GREY 2 WAY ANGLE 25MM	BOX	10	CTN	80
HH-DJB25-3	DEEP JUNCTION BOX GREY 3 WAY 25MM	BOX	10	CTN	70
HH-DJB25-4	DEEP JUNCTION BOX GREY 4 WAY 25MM	BOX	10	CTN	60



HD SWEEP BEND GREY



Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit, suitable for solar installation

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
HH-SWBG20	HD SWEEP BEND GREY 20MM	CTN	180
HH-SWBG25	HD SWEEP BEND GREY 25MM	CTN	135
HH-SWBG32	HD SWEEP BEND GREY 32MM	CTN	100
HH-SWBG40	HD SWEEP BEND GREY 40MM	CTN	35
HH-SWBG50	HD SWEEP BEND GREY 50MM	CTN	28



STANDARD BEND GREY



Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit, suitable for solar installation

ITEM NO	DESCRIPTION	OUTER PACKING	
		UNIT	QTY
HH-STBG20	STANDARD BEND GREY 20MM	CTN	180
HH-STBG25	STANDARD BEND GREY 25MM	CTN	135
HH-STBG32	STANDARD BEND GREY 32MM	CTN	100
HH-STBG40	STANDARD BEND GREY 40MM	CTN	35
HH-STBG50	STANDARD BEND GREY 50MM	CTN	28



Leodes®



SOLID ELBOW GREY

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit, suitable for solar installation

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-SEG20	SOLID ELBOW GREY 20MM	BOX	20	CTN	500
HH-SEG25	SOLID ELBOW GREY 25MM	BOX	20	CTN	500
HH-SEG32	SOLID ELBOW GREY 32MM	BOX	20	CTN	500



90 DEGREE ELBOWS GREY

Comply with AS/NZS 2053
 Flame retardant
 Resistance to UV
 Join with conduit, suitable for solar installation

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-90DEG16	90 DEGREE ELBOWS GREY 16MM	BOX	20	CTN	500
HH-90DEG20	90 DEGREE ELBOWS GREY 20MM	BOX	20	CTN	500
HH-90DEG25	90 DEGREE ELBOWS GREY 25MM	BOX	10	CTN	500
HH-90DEG32	90 DEGREE ELBOWS GREY 32MM	BOX	5	CTN	500

SOLID COUPLING GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-SCG16	SOLID COUPLING GREY 16MM	BOX	200	CTN	2000
HH-SCG20	SOLID COUPLING GREY 20MM	BOX	50	CTN	1000
HH-SCG25	SOLID COUPLING GREY 25MM	BOX	50	CTN	1000
HH-SCG32	SOLID COUPLING GREY 32MM	BOX	20	CTN	500
HH-SCG40	SOLID COUPLING GREY 40MM	BOX	10	CTN	200
HH-SCG50	SOLID COUPLING GREY 50MM	BOX	10	CTN	200



UPVC ELECTRICAL CONDUIT

LEDES®

PLAIN TO SCREW ADAPTER GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-PSAG20	PLAIN TO SCREW ADAPTER GREY 20MM	BOX	50	CTN	1000
HH-PSAG25	PLAIN TO SCREW ADAPTER GREY 25MM	BOX	50	CTN	1000
HH-PSAG32	PLAIN TO SCREW ADAPTER GREY 32MM	BOX	20	CTN	500
HH-PSAG40	PLAIN TO SCREW ADAPTER GREY 40MM	BOX	10	CTN	200
HH-PSAG50	PLAIN TO SCREW ADAPTER GREY 50MM	BOX	5	CTN	200

CORRUGATED TO SCREW ADAPTERS GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-SCAG20	CORRUGATED TO SCREW ADAPTERS GREY 20MM	BOX	50	CTN	1000
HH-SCAG25	CORRUGATED TO SCREW ADAPTERS GREY 25MM	BOX	50	CTN	1000



LOCK RINGS GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with plain to screw adapter, suitable for solar installation

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-LRG20	LOCK RING GREY 20MM	BOX	50	CTN	4000
HH-LRG25	LOCK RING GREY 25MM	BOX	50	CTN	2000
HH-LRG32	LOCK RING GREY 32MM	BOX	20	CTN	1000
HH-LRG40	LOCK RING GREY 40MM	BOX	20	CTN	1000
HH-LRG50	LOCK RING GREY 50MM	BOX	20	CTN	1000



STRAIGHT TEE GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-STG16	STRAIGHT TEE GREY 16MM	BOX	20	CTN	1000
HH-STG20	STRAIGHT TEE GREY 20MM	BOX	20	CTN	1000
HH-STG25	STRAIGHT TEE GREY 25MM	BOX	10	CTN	500
HH-STG32	STRAIGHT TEE GREY 32MM	BOX	10	CTN	200

U CLIP GREY

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-UCG16	U CLIP GREY 16MM	BOX	100	CTN	2000
HH-UCG20	U CLIP GREY 20MM	BOX	100	CTN	2000
HH-UCG25	U CLIP GREY 25MM	BOX	100	CTN	1000
HH-UCG32	U CLIP GREY 32MM	BOX	100	CTN	1000
HH-UCG40	U CLIP GREY 40MM	BOX	100	CTN	500
HH-UCG50	U CLIP GREY 50MM	BOX	100	CTN	500

EXTENSION RING

Comply with AS/NZS 2053

Flame retardant

Resistance to UV

Join with conduit, suitable for solar installation



ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-ERG	EXTENSION RING GREY	BOX	50	CTN	500



HALF SADDLE WITH NAIL

Galvanized steel
With nail

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-HSN20	HALF SADDLE WITH NAIL 20MM	BOX	20	CTN	2000
HH-HSN25	HALF SADDLE WITH NAIL 25MM	BOX	20	CTN	1000
HH-HSN32	HALF SADDLE WITH NAIL 32MM	BOX	20	CTN	1000
HH-HSN40	HALF SADDLE WITH NAIL 40MM	BOX	20	CTN	500
HH-HSN50	HALF SADDLE WITH NAIL 50MM	BOX	20	CTN	500



FULL SADDLE

Galvanized steel

ITEM NO	DESCRIPTION	INNER PACKING		OUTER PACKING	
		UNIT	QTY	UNIT	QTY
HH-FS20	FULL SADDLE 20MM	BOX	20	CTN	2000
HH-FS25	FULL SADDLE 25MM	BOX	20	CTN	1000
HH-FS32	FULL SADDLE 32MM	BOX	20	CTN	1000
HH-FS40	FULL SADDLE 40MM	BOX	20	CTN	500
HH-FS50	FULL SADDLE 50MM	BOX	20	CTN	500



DONGGUAN HOPEHEAD DECORATIVE MATERIALS Co., LTD

 Building 1, Lakeshore RD 6, Dalingshan Town, Dongguan City,
Guandong Province, China.

 400-718-9968

 info@ledestube.com

 www.ledestube.com